

**friable**

**insulating glass**

BDCS468 Copyright 2008 by Kaplan® AEC Education

BDCS469 Copyright 2008 by Kaplan® AEC Education

**rabbet**

**wood**

BDCS466 Copyright 2008 by Kaplan® AEC Education

BDCS467 Copyright 2008 by Kaplan® AEC Education

**valley**

**glazing**

BDCS464 Copyright 2008 by Kaplan® AEC Education

BDCS465 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Two sheets of glass with an air space between, to insulate against the passage of heat or sound. Also called *double glazing*.

BDCS469 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Soil that is easily crumbled or reduced to powder.

BDCS468 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The hard fibrous substance lying beneath the pith and bark of trees.

BDCS467 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A groove cut into a member to receive another member.

BDCS466 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The work of installing glass in a frame.

BDCS465 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The interior trough formed by the intersection of two sloping roof surfaces.

BDCS464 Copyright 2008 by Kaplan® AEC Education

sealant

preservative

BDCS462 Copyright 2008 by Kaplan® AEC Education

BDCS463 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

high-carbon steel

ASTM

BDCS460 Copyright 2008 by Kaplan® AEC Education

BDCS461 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

bulletproof glass

grading

BDCS458 Copyright 2008 by Kaplan® AEC Education

BDCS459 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A substance that inhibits the development and action of fungi, borers, and insects that deteriorate wood.

BDCS463 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Material used to prevent the passage of liquid across a joint or opening.

BDCS462 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

American Society for Testing and Methods.

BDCS461 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Steel having a carbon content over 0.5 percent. In general, increased carbon content increases strength and hardness, but decreases ductility.

BDCS460 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Removing and/or adding earth in order to bring the ground surface to a specified elevation or profile. Also called *earthwork*.

BDCS459 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Glass which has four or more layers of glass laminated to three or more layers of plastic, used where strong impacts may occur.

BDCS458 Copyright 2008 by Kaplan® AEC Education

asphalt saturated felt

stile

BDCS456 Copyright 2008 by Kaplan® AEC Education

BDCS457 Copyright 2008 by Kaplan® AEC Education

built-up roofing

sliding door

BDCS454 Copyright 2008 by Kaplan® AEC Education

BDCS455 Copyright 2008 by Kaplan® AEC Education

weep hole

mastic

BDCS452 Copyright 2008 by Kaplan® AEC Education

BDCS453 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The upright or vertical edge of a door or window.

BDCS457 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A roofing material applied in several layers to create a built-up composition roof.

BDCS456 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A door that moves horizontally, either on a track in the floor or from rollers at the head.

BDCS455 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Roofing made up of plies of saturated roofing felts alternated with layers of pitch or hot asphalt cement and surfaced with gravel or a cap sheet.

BDCS454 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A permanently plastic waterproof adhesive material used in sealing joints.

BDCS453 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A small hole near the bottom of a retaining wall, usually backfilled with gravel, to allow water to drain to the outside of the wall and thus avoid hydrostatic pressure against the wall.

BDCS452 Copyright 2008 by Kaplan® AEC Education

# Unified Soil Classification System

plunger

BDCS450 Copyright 2008 by Kaplan® AEC Education

BDCS451 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

sill

hydraulic elevator

BDCS448 Copyright 2008 by Kaplan® AEC Education

BDCS449 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

baluster

cut and fill

BDCS446 Copyright 2008 by Kaplan® AEC Education

BDCS447 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The driving device of a hydraulic elevator, which is powered by liquid under pressure within a cylinder. Also referred to as a *ram*.

BDCS451 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The most widely used system for classifying soils. In this system, the soils are primarily classed as coarse-grained (gravels and sands), fine-grained (silts and clays), and highly organic.

BDCS450 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An elevator operated by fluid pressure from below, which raises or lowers the elevator car.

BDCS449 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The lower horizontal member, extending between jambs, which forms the bottom of a window or other frame.

BDCS448 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Earth that is removed (cut) and earth that is added (fill) in grading.

BDCS447 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A vertical support for a handrail.

BDCS446 Copyright 2008 by Kaplan® AEC Education



**bullnose**

**malleability**

BDCS444 Copyright 2008 by Kaplan® AEC Education

BDCS445 Copyright 2008 by Kaplan® AEC Education

**pith**

**California bearing ratio  
(CBR)**

BDCS442 Copyright 2008 by Kaplan® AEC Education

BDCS443 Copyright 2008 by Kaplan® AEC Education

**hoistway**

**cold joint**

BDCS440 Copyright 2008 by Kaplan® AEC Education

BDCS441 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The ease with which a metal can be shaped by hammering or by machine.

BDCS445 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A rounded exposed edge, such as a tile or wood trim piece.

BDCS444 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A ratio used to determine the bearing capacity of a soil, based on a standard test.

BDCS443 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The heart center of a log.

BDCS442 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A joint formed when a concrete surface hardens before the next batch of concrete is placed against it.

BDCS441 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A vertical shaft that accommodates one or more elevators, conveyors, or dumbwaiters.

BDCS440 Copyright 2008 by Kaplan® AEC Education

**construction joint**

**parging**

BDCS438 Copyright 2008 by Kaplan® AEC Education

BDCS439 Copyright 2008 by Kaplan® AEC Education

**hardness**

**green**

BDCS436 Copyright 2008 by Kaplan® AEC Education

BDCS437 Copyright 2008 by Kaplan® AEC Education

**K-value**

**weather stripping**

BDCS434 Copyright 2008 by Kaplan® AEC Education

BDCS435 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The application of plaster to the back of masonry walls.

BDCS439 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The joint between two successive concrete pours. Construction joints are usually located where the shear is minimum, such as at a midspan of beams.

BDCS438 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Lumber that has not been seasoned and whose moisture content is close to that of the living tree.

BDCS437 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A metal's resistance to abrasion and penetration.

BDCS436 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Stripping applied to exterior doors or windows to make them weathertight.

BDCS435 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The thermal conductivity of a material.

BDCS434 Copyright 2008 by Kaplan® AEC Education

**cylinder test**

**grade SW  
(severe weather)**

BDCS432 Copyright 2008 by Kaplan® AEC Education

BDCS433 Copyright 2008 by Kaplan® AEC Education

**dry pipe sprinkler**

**cavity wall**

BDCS430 Copyright 2008 by Kaplan® AEC Education

BDCS431 Copyright 2008 by Kaplan® AEC Education

**solid core door**

**galvanic action**

BDCS428 Copyright 2008 by Kaplan® AEC Education

BDCS429 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The grade of brick used where high resistance to freezing and thawing is required.

BDCS433 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A test to determine the compressive strength of concrete by subjecting a standard cylinder of hardened concrete to compression in a testing machine.

BDCS432 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A wall built of two or more wythes of masonry units with a continuous air space within the wall. The wythes must be tied together with noncorrosive metal ties.

BDCS431 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A sprinkler system whose pipes are normally pressurized with only air, thus being invulnerable to freezing temperatures. Upon actuation, the air is vented and supply pressure forces water through the system.

BDCS430 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The deteriorating reaction between dissimilar metals that are in contact in the presence of moisture. Also called *electrolysis*.

BDCS429 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A door that has a core of solid wood or other solid material.

BDCS428 Copyright 2008 by Kaplan® AEC Education

**softwood**

**safety glass**

BDCS426 Copyright 2008 by Kaplan® AEC Education

BDCS427 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**elastomeric flooring**

**cribbing**

BDCS424 Copyright 2008 by Kaplan® AEC Education

BDCS425 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**soil**

**earthwork**

BDCS422 Copyright 2008 by Kaplan® AEC Education

BDCS423 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Laminated glass, consisting of a thin sheet of transparent plastic laminated between two layers of clear glass. Also referred to as *shatterproof glass*.

BDCS427 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The wood of various coniferous (cone-bearing) evergreen trees, such as cedars, pines, and firs.

BDCS426 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A cellular framework that is filled with rock or soil to retain an earth embankment.

BDCS425 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Synthetic resins applied in liquid form, producing a durable, seamless floor surface.

BDCS424 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Removing and/or adding earth in order to bring the ground surface to a specified elevation or profile. Also called *grading*.

BDCS423 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A natural material, formed of decomposed and disintegrated parent rock, that can support plant life.

BDCS422 Copyright 2008 by Kaplan® AEC Education



**excavation**

**perm**

BDCS420 Copyright 2008 by Kaplan® AEC Education

BDCS421 Copyright 2008 by Kaplan® AEC Education

**elevator cab**

**sound transmission  
class (STC)**

BDCS418 Copyright 2008 by Kaplan® AEC Education

BDCS419 Copyright 2008 by Kaplan® AEC Education

**reinforcing steel**

**grade**

BDCS416 Copyright 2008 by Kaplan® AEC Education

BDCS417 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The unit of permeability for a given material, expressing the resistance of the material to the penetration of moisture. One perm is equal to the flow of one grain of water vapor through one square foot of surface area per hour with a pressure difference of one inch of mercury.

BDCS421 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The digging or removal of earth.

BDCS420 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A single-number rating for the evaluation of a particular cross-section in terms of its transmission of airborne sound. The higher the STC rating, the more effective the construction is at stopping airborne sound.

BDCS419 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The load-carrying unit of an elevator, including its platform, frame, enclosure, and door. Also referred to as an *elevator car*.

BDCS418 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The designation of the quality of a manufactured piece of wood.

BDCS417 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Round steel bars with surface deformations that are placed in the forms prior to casting of concrete, and that primarily resist tension.

BDCS416 Copyright 2008 by Kaplan® AEC Education

terne plate

overhead door

BDCS414 Copyright 2008 by Kaplan® AEC Education

BDCS415 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

bronze

moving stairway

BDCS412 Copyright 2008 by Kaplan® AEC Education

BDCS413 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

water table

veneer

BDCS410 Copyright 2008 by Kaplan® AEC Education

BDCS411 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A door that slides upward, rolls up, folds up in panels, or rides up and pivots inward.

BDCS415 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Steel coated with lead and tin, used for roofing and flashing.

BDCS414 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A continuously moving, power-driven mechanical device that transports passengers along an incline from one floor to another. Also referred to as an *escalator*.

BDCS413 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An alloy of copper and tin.

BDCS412 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Masonry finish material which is attached, but not structurally bonded, to the backing. Also, a thin layer or sheet of wood produced by slicing or rotary cutting.

BDCS411 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The level below which the subsoil is completely saturated with water. Also called the *groundwater level*.

BDCS410 Copyright 2008 by Kaplan® AEC Education

**annealed glass**

**water-cement ratio**

BDCS408 Copyright 2008 by Kaplan® AEC Education

BDCS409 Copyright 2008 by Kaplan® AEC Education

**aggregate**

**skylight**

BDCS406 Copyright 2008 by Kaplan® AEC Education

BDCS407 Copyright 2008 by Kaplan® AEC Education

**car bumpers**

**window glass**

BDCS404 Copyright 2008 by Kaplan® AEC Education

BDCS405 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The ratio of water to cement in a concrete mix, the main factor that determines concrete strength.

BDCS409 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Ordinary window glass that has been cooled slowly to avoid locked-in thermal stresses.

BDCS408 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An overhead source of natural light, generally installed on a roof.

BDCS407 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The chemically inert element of concrete, usually consisting of sand, gravel, and/or other granular material.

BDCS406 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Clear, flat sheet glass that is most commonly used for glazing.

BDCS405 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A device located at the bottom of an elevator hoistway, used to stop a cab's overtravel at low speed, not to stop a free-falling cab. Also referred to as *buffer*.

BDCS404 Copyright 2008 by Kaplan® AEC Education

compacted fill

plastic limit

BDCS402 Copyright 2008 by Kaplan® AEC Education

BDCS403 Copyright 2008 by Kaplan® AEC Education

sand

bond

BDCS400 Copyright 2008 by Kaplan® AEC Education

BDCS401 Copyright 2008 by Kaplan® AEC Education

mullion

heat-absorbing glass

BDCS398 Copyright 2008 by Kaplan® AEC Education

BDCS399 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The moisture content at which a soil starts to change from a semisolid to a plastic state.

BDCS403 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Fill that has been densified by the application of pressure, usually by mechanical equipment, in order to increase its strength and stability and reduce its settlement. Properly compacted fill is often suitable for the support of building footings.

BDCS402 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An arrangement of the elements of a masonry wall to provide strength by lapping the units. Also refers to the pattern formed by the exposed faces of the units.

BDCS401 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Granular material, ranging from about  $\frac{3}{8}$  inch to  $\frac{1}{200}$  inch.

BDCS400 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Tinted glass that absorbs a high percentage of solar radiation. Also referred to *actinic glass*.

BDCS399 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A vertical member between windows or doors.

BDCS398 Copyright 2008 by Kaplan® AEC Education



**insulation**

**bed joint**

BDCS396 Copyright 2008 by Kaplan® AEC Education

BDCS397 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**air entrainment**

**expansive soil**

BDCS394 Copyright 2008 by Kaplan® AEC Education

BDCS395 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**metal decking**

**concrete block**

BDCS392 Copyright 2008 by Kaplan® AEC Education

BDCS393 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The horizontal mortar joint in masonry work.

BDCS397 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A material used to prevent or reduce sound transmission or heat flow.

BDCS396 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A fine-grained cohesive soil that undergoes large volume changes with changes in moisture content.

BDCS395 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The incorporation of tiny air bubbles into concrete to improve its workability and resistance to frost.

BDCS394 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A hollow concrete masonry unit.

BDCS393 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Sheet steel in a corrugated, ribbed, or cellular form and used for structural load-carrying purposes in floor or roof construction.

BDCS392 Copyright 2008 by Kaplan® AEC Education

ledger

sheepsfoot roller

BDCS390 Copyright 2008 by Kaplan® AEC Education

BDCS391 Copyright 2008 by Kaplan® AEC Education

frost line

steel

BDCS388 Copyright 2008 by Kaplan® AEC Education

BDCS389 Copyright 2008 by Kaplan® AEC Education

architectural bronze

batter boards

BDCS386 Copyright 2008 by Kaplan® AEC Education

BDCS387 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A large-toothed roller used for the compaction of soil.

BDCS391 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A horizontal member supporting joists.

BDCS390 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An alloy of iron and carbon, with a carbon content between 0.1 and 1.7 percent (more than that of wrought iron and less than that of cast iron).

BDCS389 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The maximum depth of frost penetration in the ground expected in a given area.

BDCS388 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Reference points offset a given distance from the building line and set prior to excavation.

BDCS387 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An alloy of copper, zinc, lead, and tin used for moldings and forgings.

BDCS386 Copyright 2008 by Kaplan® AEC Education

roof pitch

lockset

BDCS384 Copyright 2008 by Kaplan® AEC Education

BDCS385 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

threshold

masonry

BDCS382 Copyright 2008 by Kaplan® AEC Education

BDCS383 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

double-acting door

mandrel

BDCS380 Copyright 2008 by Kaplan® AEC Education

BDCS381 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A complete fastening system including lock, knob, escutcheon, and so on.

BDCS385 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The slope or incline of a roof expressed in degrees or as the ratio of a vertical rise to the horizontal run.

BDCS384 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Brick, block, tile, stone, or similar materials bonded together with mortar.

BDCS383 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A member beneath a door, to cover the floor joint or provide weather protection. Also called a *saddle*.

BDCS382 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A solid core used in driving a shell pile into the ground. When the driving is complete, it is removed and the shell is filled with concrete.

BDCS381 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A door having hardware that permits it to swing in either direction from the plane of its frame.

BDCS380 Copyright 2008 by Kaplan® AEC Education

bar chair

dry rot

BDCS378 Copyright 2008 by Kaplan® AEC Education

BDCS379 Copyright 2008 by Kaplan® AEC Education

split

metal lath

BDCS376 Copyright 2008 by Kaplan® AEC Education

BDCS377 Copyright 2008 by Kaplan® AEC Education

wane

brown coat

BDCS374 Copyright 2008 by Kaplan® AEC Education

BDCS375 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Timber decay due to fungus, in which pockets of dry powder develop.

BDCS379 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A device used to support reinforcing bars during the placing of concrete.

BDCS378 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Sheet metal or wire fabric into which a base coat of plaster is keyed.

BDCS377 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Lengthwise separation of wood extending from one face through to the opposite face.

BDCS376 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The second coat of plaster, in three-coat plastering, which is applied over the scratch coat and beneath the finish coat. The large proportion of sand in this mixture gives the coat its name.

BDCS375 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Bark or lack of wood on the edge or corner of a piece of wood.

BDCS374 Copyright 2008 by Kaplan® AEC Education



buck

organic soil

BDCS372 Copyright 2008 by Kaplan® AEC Education

BDCS373 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

mortise lock

acoustics

BDCS370 Copyright 2008 by Kaplan® AEC Education

BDCS371 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

clay

panic hardware

BDCS368 Copyright 2008 by Kaplan® AEC Education

BDCS369 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Soil with a high organic content (decomposed vegetable or animal matter). Organic soils are usually very compressible and have very low bearing capacities.

BDCS373 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A door frame of wood or metal to which the finished frame is attached.

BDCS372 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The science of sound and sound control.

BDCS371 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A lock installed in a rectangular opening cut in the door, rather than on the door's surface.

BDCS370 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A door-latching assembly that will open the door if subjected to pressure.

BDCS369 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A fine-grained, cohesive, inorganic soil.

BDCS368 Copyright 2008 by Kaplan® AEC Education

winder

compression  
zipper gasket

BDCS366 Copyright 2008 by Kaplan® AEC Education

BDCS367 Copyright 2008 by Kaplan® AEC Education

modular

epoxy

BDCS364 Copyright 2008 by Kaplan® AEC Education

BDCS365 Copyright 2008 by Kaplan® AEC Education

alkyd

leader

BDCS362 Copyright 2008 by Kaplan® AEC Education

BDCS363 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A prefabricated strip of molded or extruded material used in a dry glazing process. Also referred to as a *glazing gasket*.

BDCS367 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A step in a spiral stairway that is wedge-shaped, with its tread wider at one end than the other.

BDCS368 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A synthetic resin having excellent adhesive properties.

BDCS365 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Describing a system composed of standardized units or sections used for simplified construction or flexibility.

BDCS364 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A vertical pipe used to conduct roof water to the ground. Also called a *downspout*.

BDCS363 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A synthetic resin used as a vehicle for paint.

BDCS362 Copyright 2008 by Kaplan® AEC Education

**forms**

**soffit**

BDCS360 Copyright 2008 by Kaplan® AEC Education

BDCS361 Copyright 2008 by Kaplan® AEC Education

**roping**

**brass**

BDCS358 Copyright 2008 by Kaplan® AEC Education

BDCS359 Copyright 2008 by Kaplan® AEC Education

**reverberation**

**fiber saturation point**

BDCS356 Copyright 2008 by Kaplan® AEC Education

BDCS357 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The exposed underside of an architectural element, such as a beam or arch.

BDCS361 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The molds into which concrete is placed until it hardens.

BDCS360 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An alloy of copper and zinc that is corrosion-resistant and very workable.

BDCS359 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The arrangement of cables used to hoist an electric elevator.

BDCS358 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The moisture content (about 30 percent) above which there is no shrinkage or swelling of wood with variation in moisture content.

BDCS357 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The persistence of sound in an enclosed space after the source has stopped.

BDCS356 Copyright 2008 by Kaplan® AEC Education

cricket

cold-rolled steel

BDCS354 Copyright 2008 by Kaplan® AEC Education

BDCS355 Copyright 2008 by Kaplan® AEC Education

portland cement

moving ramp

BDCS352 Copyright 2008 by Kaplan® AEC Education

BDCS353 Copyright 2008 by Kaplan® AEC Education

grout

cylinder lock

BDCS350 Copyright 2008 by Kaplan® AEC Education

BDCS351 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Sheet steel that has been formed using heavy rollers at room temperature, to improve its surface finish, hardness, and strength.

BDCS355 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A flashing saddle used on a sloping roof to divert water around a chimney.

BDCS354 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A continuously-moving, power-driven device that transports passengers up an inclined plane horizontally (moving sidewalk). Moving ramps have continuous tread, rather than the individual steps of an escalator.

BDCS353 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The finely ground material used as the binder for structural concrete.

BDCS352 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A door lock having the locking mechanism within a cylinder.

BDCS351 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A high slump concrete, consisting of Portland cement, sand, hydrated lime, water, and sometimes pea gravel.

BDCS350 Copyright 2008 by Kaplan® AEC Education



value engineering

toughness

BDCS348 Copyright 2008 by Kaplan® AEC Education

BDCS349 Copyright 2008 by Kaplan® AEC Education

louver

muntin

BDCS346 Copyright 2008 by Kaplan® AEC Education

BDCS347 Copyright 2008 by Kaplan® AEC Education

soil boring log

modular bricks

BDCS344 Copyright 2008 by Kaplan® AEC Education

BDCS345 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A metal's ability to withstand shock or impact.

BDCS349 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The systematic review of a project design to obtain the best value for the money spent, considering first costs, operating costs, and replacement costs.

BDCS348 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A short, vertical member within a window frame, either vertical or horizontal.

BDCS347 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An assembly of sloping, overlapping slats, fixed or adjustable, which excludes rain but admits air and/or light.

BDCS346 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Bricks with dimensions such that one or more brick courses plus the mortar joints produce courses with an exact dimension, which is usually a multiple of four inches.

BDCS345 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A log showing the types of soil encountered in a test boring and other relevant information.

BDCS344 Copyright 2008 by Kaplan® AEC Education

**galvanizing**

**dead bolt**

BDCS342 Copyright 2008 by Kaplan® AEC Education

BDCS343 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**architectural  
appearance grade**

**stud wall**

BDCS340 Copyright 2008 by Kaplan® AEC Education

BDCS341 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**flood coat**

**slash-grained lumber**

BDCS338 Copyright 2008 by Kaplan® AEC Education

BDCS339 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A locking device which is rectangular in a cross-section and projected manually.

BDCS343 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The process of applying a coating of zinc to iron for protection against corrosion.

BDCS342 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A wall consisting of small, closely spaced members usually sheathed on both faces with a wall material.

BDCS341 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The appearance grade used for glued laminated members where appearance is an important requirement.

BDCS340 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Lumber with rings 0 degrees to 45 degrees with the wide face. Also called *flat-grained lumber*.

BDCS339 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

In a built-up composition roof, the top layer of bituminous material, which is poured on the surface and covered with an aggregate coating.

BDCS338 Copyright 2008 by Kaplan® AEC Education

**terrazzo**

**admixture**

BDCS336 Copyright 2008 by Kaplan® AEC Education

BDCS337 Copyright 2008 by Kaplan® AEC Education

**light**

**pane**

BDCS334 Copyright 2008 by Kaplan® AEC Education

BDCS335 Copyright 2008 by Kaplan® AEC Education

**stop**

**bonding plaster**

BDCS332 Copyright 2008 by Kaplan® AEC Education

BDCS333 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A prepared substance added to concrete to alter or achieve certain characteristics.

BDCS337 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Flooring material made from small chips of marble set in cement and polished.

BDCS336 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A piece of glass used to glaze a division of a window or door.

BDCS335 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A pane of glass, a window, or any subdivision of a window.

BDCS334 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A gypsum plaster mixture containing lime, which is used on interior concrete surfaces.

BDCS333 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The trim applied to the inside face of a door or window frame against which the door or window closes.

BDCS332 Copyright 2008 by Kaplan® AEC Education

escalator

tier

BDCS330 Copyright 2008 by Kaplan® AEC Education

BDCS331 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

bush-hammered finish

gypsum lath

BDCS328 Copyright 2008 by Kaplan® AEC Education

BDCS329 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

sandblasting

accelerator

BDCS326 Copyright 2008 by Kaplan® AEC Education

BDCS327 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An individual vertical tier of masonry in a cavity wall. Also called a *wythe*.

BDCS331 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A continuously moving, power-driven mechanical device that transports passengers along an incline from one floor to another. Also referred to as a *moving stairway*.

BDCS330 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A base for plaster consisting of a gypsum core sandwiched between two sheets of heavy, porous paper.

BDCS329 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An exposed aggregate concrete finish obtained by roughening the surface with a power-operated bush hammer, which has a serrated face.

BDCS328 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A substance, such as calcium chloride, added to a concrete mix to speed up its setting and strength development.

BDCS327 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The blasting of concrete with sand or another abrasive material to dull the formed surface, make the color uniform, or expose the aggregate.

BDCS326 Copyright 2008 by Kaplan® AEC Education



**dead-end corridor**

**slump test**

BDCS324 Copyright 2008 by Kaplan® AEC Education

BDCS325 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**flashing**

**nosing**

BDCS322 Copyright 2008 by Kaplan® AEC Education

BDCS323 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

**elastomer**

**flitch**

BDCS320 Copyright 2008 by Kaplan® AEC Education

BDCS321 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A test for mixed concrete to determine consistency and workability.

BDCS325 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A corridor that is closed at one end, usually limited to 20 feet in length.

BDCS324 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

The projection of a tread beyond the riser below.

BDCS323 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

An impervious material used to prevent water penetration at joints formed by different materials or surfaces.

BDCS322 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A large timber from which veneers are cut.

BDCS321 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A material having the qualities of rubber.

BDCS320 Copyright 2008 by Kaplan® AEC Education

lamella

yard lumber

BDCS318 Copyright 2008 by Kaplan® AEC Education

BDCS319 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

Lewis bolt

control joint

BDCS316 Copyright 2008 by Kaplan® AEC Education

BDCS317 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

decibel (dB)

board foot

BDCS314 Copyright 2008 by Kaplan® AEC Education

BDCS315 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

Lumber of all sizes and patterns intended for general building purposes.

BDCS319 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A roof structure comprising a series of parallel arches, skewed to the axes of the building, which are intersected by another series of skewed arches, so that they interact with each other.

BDCS318 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A groove in a concrete structure made to predetermine the location of cracks.

BDCS317 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A round threaded metal device with a bell-shaped end that is used to anchor stone.

BDCS316 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A unit of measure for lumber equal to the volume of a board 12 inches x 12 inches x 1 inch.

BDCS315 Copyright 2008 by Kaplan® AEC Education

## Building Design & Construction Systems

A logarithmic measure of sound intensity, expressing the ratio between a given sound being measured and a reference level. The reference level generally corresponds to the faintest audible sound.

BDCS314 Copyright 2008 by Kaplan® AEC Education

casting

course

BDCS312 Copyright 2008 by Kaplan® AEC Education

BDCS313 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

hydrostatic pressure

jamb

BDCS310 Copyright 2008 by Kaplan® AEC Education

BDCS311 Copyright 2008 by Kaplan® AEC Education

Building Design & Construction Systems

Building Design & Construction Systems

electric elevator

coefficient of  
thermal expansion

BDCS308 Copyright 2008 by Kaplan® AEC Education

BDCS309 Copyright 2008 by Kaplan® AEC Education

